https://www.chronicle.com/article/overuse-and-abuse-of-adjunct-faculty-members-threaten-core-academic-values/

ALTERNATIVES & ADJUNCTS TO MAT

Lucía Grauman Neander, PhD

CONFLICT OF INTEREST DISCLOSURE


None.

OBJECTIVES

Name three alternatives/adjuncts to MAT.

Describe empirical evidence for at least one alternative/adjunct to MAT


ALTERNATIVES AND ADJUNCTS TO MAT



Retrieved: https://arvrjourney.com/getting-ahead-of-the-game-54b771530612?gi=9cd29064685c

Supports and treatment that can be used <u>instead</u> of MAT (alternatives) or <u>in addition</u> to MAT (adjuncts).

ALTERNATIVES & ADJUNCTS TO MAT IN AK



CLINIC SETTING

Medications

Make MAT experience more comfortable

Contingency Management

- Effective regardless of patient's characteristics
- Effective for methamphetamine use disorder



Retrieved: https://www.issup.net/training/universal-treatment-curriculum/course-13-contingency-management and the second secon

(Petry et al., 2017)

COMMUNITY & TRADITIONAL SUPPORTS

Traditional Healer/Tribal Doctor

Elder

- Church Leader
- Support Groups



Retrieved: https://www.calistacorp.com/news/preserving-our-culture/

(Davidson et al., 2012; Menzies et al., 2010)

PSYCHOTHERAPY



Psychotherapy MAT



Reduces Relapse by 30-50%

Increases Tx Retention & Abstinence

(Dugosh, 2016; Ronquest et al., 2018)

EVIDENCE-BASED PSYCHOTHERAPY

Cognitive Behavioral Therapy (CBT)

Mindfulness

Motivational Enhancement Therapy (MET)

Community Reinforcement Approach (CRA)

12-Step

(Garland et al., 2019; SAMHSA, 2018)

LEVELS OF BEHAVIORAL HEALTH CARE

Outpatient TherapyMeet with therapist on regular basis

Intensive Outpatient Program (IOP)9+ hours/week

Residential Treatment

Live-in facility for 1-6 months

UTILIZING AND SUPPORTING THE FAMILY

Community Reinforcement & Family Training

- Skills to improve family relationships and support recovery
- Motivate loved one to enter treatment



(Brigham et al., 2014; Meyers, 1999)

Final Considerations

Options

- Warm Handoffs
- Meet people where they are at



(Davidson et al., 2012)



REFERENCES

Brigham, G. S., Slesnick, N., Winhusen, T. M., Lewis, D. F., Guo, X., & Somoza, E. (2014). A randomized pilot clinical trial to evaluate the efficacy of Community Reinforcement and Family Training for Treatment Retention (CRAFT-T) for improving outcomes for patients completing opioid detoxification. Drug and Alcohol Dependence, 138, 240-243.

Davidson, L., Roe, D., Stern, E., Zisman-Ilani, Y., O'Connell, M., & Corrigan, P. (2012). If I choose it am I more likely to use it? The role of choice in medication and service use. Int. J. Pers. Cent. Med, 2, 577-592.

Dugosh, K., Abraham, A., Seymour, B., McLoyd, K., Chalk, M., & Festinger, D. (2016). A systematic review on the use of psychosocial interventions in conjunction with medications for the treatment of opioid addiction. Journal of addiction medicine, 10(2), 91.

Garland, E. L., Hanley, A. W., Kline, A., & Cooperman, N. A. (2019). Mindfulness-oriented recovery enhancement reduces opioid craving among individuals with opioid use disorder and chronic pain in medication assisted treatment: ecological momentary assessments from a stage 1 randomized controlled trial. Drug and alcohol dependence, 203, 61-65.

Menzies, P., Bodnar, A., & Harper, V. (2010). The role of the elder within a mainstream addiction and mental health hospital: Developing an integrated paradigm. Native Social Work Journal, 7, 87-107.

Meyers, R. J., Miller, W. R., Smith, J. E., & Tonigan, J. S. (2002). A randomized trial of two methods for engaging treatment-refusing drug users through concerned significant others. Journal of consulting and clinical psychology, 70(5), 1182.

Ober, A. J., Watkins, K. E., McCullough, C. M., Setodji, C. M., Osilla, K., & Hunter, S. B. (2018). Patient predictors of sub stance use disorder treatment initiation in primary care. Journal of substance abuse treatment, 90, 64-72.

Petry, N. M., Alessi, S. M., Olmstead, T. A., Rash, C. J., & Zajac, K. (2017). Contingency management treatment for substance use disorders: How far has it come, and where does it need to go?. Psychology of Addictive Behaviors, 31(8), 897.

Ronquest, N. A., Willson, T. M., Montejano, L. B., Nadipelli, V. R., & Wollschlaeger, B. A. (2018). Relationship between bupr enorphine adherence and relapse, health care utilization and costs in privately and publicly insured patients with opioid use disorder. Substance abuse and rehabilitation, 9, 59.

SAMHSA. (2018). TIP 63: Medications for Opioid Use Disorder – full document (including Executive Summary and Parts 1-5). Retrieved November 16, 2018, from https://www.store.samhsa.gov/product/TI P-63-Medications-for-Opioid-UseDisorder-Full-Document-IncludingExecutive-Summary-and-Parts-1-5- /SMA18-5063FULLDOC